






# Fondatec Industrial Co.,Ltd

Unit 909, Junyuege Building, No.9 Yannan Road, Futian District, Shenzhen  
 Tel: +86-755-83043191 Fax: +86-755-83043192 <http://www.fondatec.com>

Model	Name of Product /Photo	Specifications	Packing info	
DPF-701		1) Screen Dimension: 7 Inches 2) Resolution: 480*234 3) Brightness: 300cd/centiare 4) Contrast: 150:1 5) Viewing Angel: 45 degrees left or right, 40 Degrees up down. 6) Built - in 2 - CH stereo speakers 7) Files supported: JPEG/MPEG1/MPEG2/MPEG3/MPEG4/AVI/DI VX 8) Memory Card Format: MS, SD, MMC card support, USB	10pcs/CTN Size: 43.5*34*32.5/CTN G.W: 8.5KGS 6000pcs/20ft	
DPF-702		1) Screen Dimension: 7 Inches 2) Resolution: 480*234 3) Brightness: 300cd/centiare 4) Contrast: 150:1 5) Viewing Angel: 45 degrees left or right, 40 Degrees up down. 6) Built - in 2 - CH stereo speakers 7) Files supported: JPEG/MPEG1/MPEG2/MPEG3/MPEG4/AVI/DI VX 8) Memory Card Format: MS, SD, MMC card support, USB	10pcs/CTN Size: 43.5*34*32.5/CTN G.W: 8.5KGS 6000pcs/20ft	
DPF-703		1) Screen Dimension: 7 Inches 2) Resolution: 480*234 3) Brightness: 300cd/centiare 4) Contrast: 150:1 5) Viewing Angel: 45 degrees left or right, 40 Degrees up down. 6) Built - in 2 - CH stereo speakers 7) Files supported: JPEG/MPEG1/MPEG2/MPEG3/MPEG4/AVI/DI VX 8) Memory Card Format: MS, SD, MMC card support, USB	10pcs/CTN Size: 43.5*34*32.5/CTN G.W: 8.5KGS 6000pcs/20ft	

DPF-704		<p>1) Screen Dimension: 7 Inches  2) Resolution: 480*234  3) Brightness: 300cd/centiare  4) Contrast: 150:1  5) Viewing Angel: 45 degrees left or right, 40 Degrees up down.  6) Built - in 2 - CH stereo speakers  7) Files supported:  JPEG/MPEG1/MPEG2/MPEG3/MPEG4/AVI/DI  VX  8) Memory Card Format: MS, SD, MMC card support, USB</p>	<p>10pcs/CTN  Size:  43.5*34*32.5/CTN  G.W: 8.5KGS  6000pcs/20ft</p>	
DPF-705		<p>1) Screen Dimension: 7 Inches  2) Resolution: 480*234  3) Brightness: 300cd/centiare  4) Contrast: 150:1  5) Viewing Angel: 45 degrees left or right, 40 Degrees up down.  6) Built - in 2 - CH stereo speakers  7) Files supported:  JPEG/MPEG1/MPEG2/MPEG3/MPEG4/AVI/DI  VX  8) Memory Card Format: MS, SD, MMC card support, USB</p>	<p>10pcs/CTN  Size:  43.5*34*32.5/CTN  G.W: 8.5KGS  6000pcs/20ft</p>	
DPF-706		<p>1) Screen Dimension: 7 Inches  2) Resolution: 480*234  3) Brightness: 300cd/centiare  4) Contrast: 150:1  5) Viewing Angel: 45 degrees left or right, 40 Degrees up down.  6) Built - in 2 - CH stereo speakers  7) Files supported:  JPEG/MPEG1/MPEG2/MPEG3/MPEG4/AVI/DI  VX  8) Memory Card Format: MS, SD, MMC card support, USB</p>	<p>10pcs/CTN  Size:  43.5*34*32.5/CTN  G.W: 8.5KGS  6000pcs/20ft</p>	
DPF-1201		<p>Product Size:34.2*26.4*5.7CM  Material:acryl  Active Matrix TFT LCD 12.1 inch(4:3)  File Format:JPEG,MP3,MPEG1/2/4,DIVX,AVI  Background music  Support Media: CF、SD、MMC、MS  Operating System:OSD(On Screen Display)  and Remote Controller  AC Adapter:100-240Vac, 50-60HZ 18W  Multimedia:Built-In speakers  Environment:0°C-30°C, 32-85°F, 40-65% RH  (non-condensing)  USB: 2.0.it can be linked with computer,hard  disk or USB (USB cable)  Language:Chinese,English,France,Spanish,Ital  y,Germany and etc  Slideshow supporting JPEG files  Picture rotation and zoom</p>	<p>5pcs/carton  N.W.: 10kgs  G.W.: 12kgs  Meas: 65*43*38cm</p>	

DPF-1501		<p>Material:acryl  Active Matrix TFT LCD 15 inch(4:3)  File Format:JPEG,MP3,MPEG1/2/4,DIVX,AVI  Background music  Support Media: CF、 SD、 MMC、 MS  Operating System:OSD(On Screen Display) and Remote Controller  AC Adapter:100-240Vac, 50-60HZ 18W  Multimedia:Built-In speakers  Environment:0°C-30°C, 32-85°F, 40-65% RH (non-condensing)  USB: 2.0.it can be linked with computer,hard disk or USB (USB cable)  Language:Chinese,English,France,Spanish,Italy,Germany and etc  Slideshow supporting JPEG files  Picture rotation and zoom  Product Size:42.5*35.5*4.5CM</p>	<p>5pcs/carton  N.W.: 18kgs  G.W.: 20kgs  Meas: 48*46*42cm</p>	
DPF-150		<ol style="list-style-type: none"> <li>1. Memory Device: 8 MB/16MB Flash</li> <li>2. Memory Capacity: 63/126pcs</li> <li>3. Display Element: 1.5" CSTN (128*128 Dots, 65K Color),TN(Time and Temperature)</li> <li>4. Effective Temperature Range : 0 °C - 50 °C</li> <li>5. Examine Time:10 s</li> <li>6. Button Function (for Photo Frame): Power on/ off, Delete Single/ All, Page Up, Page Down</li> <li>7. Support Format: BMP, GIF, JPG, TIF, PNG</li> <li>8. Display Mode: Single/Slide Mode</li> <li>9. Button Function (for Watch): Model, Adj, °C/ F, Snooze/ Back Light</li> <li>10. Clock Display: year/month/day/hour/minute</li> </ol>	<p>60pcs/ctn  N.W.: 15kgs  G.W.: 16kgs  Meas: 52*42*30cm</p>	